

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
		"706".cls. and @PD<"20000908" and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:06
		@pd<"20000908" and (compression with testing) and instron and (((level or degree or difficulty) with (characterics or structure) with different)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:11
		@pd<"20000908" and (compression with testing) and instron and (((level or degree or difficulty) with (character\$ or structure) with different)	US-PGPUB; USPAT	OR	ON	2007/02/15 12:39
L1	1	"20020032679" and "engineering portal"	US-PGPUB; USPAT	OR	OFF	2007/02/16 11:16
L2	0	"20020032679" and "common rules"	US-PGPUB; USPAT	OR	ON	2007/02/16 11:16
L3	0	"20020032679" and "common rule"	US-PGPUB; USPAT	OR	ON	2007/02/16 11:38
L4	0	"20020032679" and "actual examples"	US-PGPUB; USPAT	OR	ON	2007/02/16 11:38
L5	0	"20020032679" and "actual example"	US-PGPUB; USPAT	OR	ON	2007/02/16 12:35
L6	0	"20020032679" and "site server"	US-PGPUB; USPAT	OR	ON	2007/02/16 12:36
L7	0	"20020032679" and (site with server)	US-PGPUB; USPAT	OR	ON	2007/02/16 12:36
L9	45	@PD<"20000908" AND hitachi.as. and (modeling or simulation) and database	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:27
L10	43	@PD<"20000908" AND ((case or example) with database) and (meta with database)	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:27
L11	25943	@PD<"20000908" AND ((case or example) with database) and (meta with database) ((function or cross) with database)	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:28
L12	14	@PD<"20000908" AND ((case or example) with database) and (meta with database) and ((function or cross) with database)	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:28
L13	9	@PD<"20000908" AND ((case or example) with database) and (meta with database) and ((function or cross) with database) and display	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:29

EAST Search History

L14	0	@PD<"20000908" AND (example with database) and (meta with database) and display	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:29
L15	0	@PD<"20000908" and (example with database) and (meta with database) and display	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:29
L16	0	@PD<"20000908" and (example with database) and (meta with database)	US-PGPUB; USPAT	OR	ON	2007/02/16 13:30
L17	16	@PD<"20000908" and (history with database) and (meta with database)	US-PGPUB; USPAT	OR	ON	2007/02/16 13:30
L18	13	@PD<"20000908" and (history with database) and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:05
L19	0	706/1.ccls. and @PD<"20000908" and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:05
L20	0	706/15.ccls. and @PD<"20000908" and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:05
L21	0	706/18.ccls. and @PD<"20000908" and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:05
L22	9	"706".clas. and @PD<"20000908" and (meta with database) and display	US-PGPUB; USPAT	OR	ON	2007/02/16 14:07
L23	10	"706".clas. and @PD<"20000908" and (meta with database)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:07
L24	3	706/16.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:08
L25	6	706/12.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:08
L26	2	706/53.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:08
L27	1	706/59.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:09
L28	0	395/200.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:09
L29	0	364/578.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28

EAST Search History

L30	358	@PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:26
L31	47	707/6.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28
L32	2	707/9.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28
L33	0	707/242.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28
L34	0	707/219.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28
L35	18	707/10.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:28
L36	39	707/5.ccls. and @PD<"20000908" and (data with mining)	US-PGPUB; USPAT	OR	ON	2007/02/16 14:29
L37	84	I24 or I25 or I26 or I27 or I31 or I32 or I35 or I36	US-PGPUB; USPAT	OR	ON	2007/02/16 14:29
S1	1	"20020032679"	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:57
S2	1	"20020032679" and analysis	US-PGPUB; USPAT	OR	OFF	2007/02/16 11:02
S3	1	"20020032679" and analy\$	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:29
S4	1	"20020032679" and case	US-PGPUB; USPAT	OR	OFF	2007/02/12 14:12
S5	0	@pd<"20000908" and (("web browser" or "web browsers") with intellegent)	US-PGPUB; USPAT	OR	OFF	2007/02/12 14:18
S6	15	@pd<"20000908" and (("web browser" or "web browsers") with intelligent)	US-PGPUB; USPAT	OR	OFF	2007/02/12 13:57
S7	1	"20020032679" and (meta\$ with rules)	US-PGPUB; USPAT	OR	OFF	2007/02/12 14:12
S8	1449	@pd<"20000908" and ("web browser" or "web browsers")	US-PGPUB; USPAT	OR	OFF	2007/02/12 14:18

EAST Search History

S9	0	@pd<"20000908" and ("web browser" or "web browsers") and (example with database) and (rule with database)	US-PGPUB; USPAT	OR	ON	2007/02/13 07:36
S10	0	@pd<"20000908" and ("web browser" or "web browsers") and (example with database)	US-PGPUB; USPAT	OR	ON	2007/02/12 14:19
S11	66	@pd<"20000908" and ("web browser" or "web browsers") and (rule with database)	US-PGPUB; USPAT	OR	ON	2007/02/12 14:20
S12	0	@pd<"20000908" and ("web browser" or "web browsers") and (rule with database) and (example with database)	US-PGPUB; USPAT	OR	ON	2007/02/12 14:20
S13	33	@pd<"20000908" and ("web browser" or "web browsers") and (rule with database) and (case with database)	US-PGPUB; USPAT	OR	ON	2007/02/12 14:22
S14	7	@pd<"20000908" and ("web browser" or "web browsers") and (rule with database) and (case with database) and rule.ab.	US-PGPUB; USPAT	OR	ON	2007/02/12 14:33
S15	1	"6014647".pn. and server	US-PGPUB; USPAT	OR	ON	2007/02/12 15:26
S16	0	"6014647".pn. and (search\$ with "datadefinition")	US-PGPUB; USPAT	OR	ON	2007/02/12 15:26
S17	0	"6014647".pn. and (search\$ with "data definition")	US-PGPUB; USPAT	OR	ON	2007/02/12 15:26
S18	0	"6014647".pn. and ("data definition")	US-PGPUB; USPAT	OR	ON	2007/02/12 15:27
S19	1	"6014647".pn. and "253"	US-PGPUB; USPAT	OR	ON	2007/02/12 15:32
S20	1	"6014647".pn. and search\$	US-PGPUB; USPAT	OR	ON	2007/02/12 15:34
S21	1	"6014647".pn. and "240"	US-PGPUB; USPAT	OR	ON	2007/02/12 15:39
S22	1	"6014647".pn. and "222"	US-PGPUB; USPAT	OR	ON	2007/02/12 15:42
S23	1	"6014647".pn. and "220"	US-PGPUB; USPAT	OR	ON	2007/02/13 07:33
S24	1	"6014647".pn. and display\$	US-PGPUB; USPAT	OR	ON	2007/02/12 16:10

EAST Search History

S25	1	"6014647".pn. and "212"	US-PGPUB; USPAT	OR	ON	2007/02/12 16:15
S26	1	"6014647".pn. and (output or answer or result)	US-PGPUB; USPAT	OR	ON	2007/02/12 16:16
S27	1	"6014647".pn. and "210"	US-PGPUB; USPAT	OR	ON	2007/02/12 16:42
S28	0	"20020032679" and "new solutions"	US-PGPUB; USPAT	OR	OFF	2007/02/12 16:29
S29	1	"20020032679" and (new with solution)	US-PGPUB; USPAT	OR	ON	2007/02/12 16:29
S30	0	"6014647".pn. and hint	US-PGPUB; USPAT	OR	ON	2007/02/12 16:42
S31	0	"6014647".pn. and urge	US-PGPUB; USPAT	OR	ON	2007/02/12 16:42
S32	0	"6014647".pn. and clue	US-PGPUB; USPAT	OR	ON	2007/02/12 16:43
S33	1	"6014647".pn. and rule	US-PGPUB; USPAT	OR	ON	2007/02/12 16:44
S34	1	"6014647".pn. and (rule with custom\$)	US-PGPUB; USPAT	OR	ON	2007/02/12 16:44
S35	1	"20020032679" and urge	US-PGPUB; USPAT	OR	OFF	2007/02/13 13:43
S36	1	"6014647".pn. and search	US-PGPUB; USPAT	OR	ON	2007/02/13 10:40
S37	356	@pd<"20000908" and ((case or example) with database) and (rule with database)	US-PGPUB; USPAT	OR	ON	2007/02/13 07:37
S38	58	@pd<"20000908" and ((case or example) with database) and (rule with database) and browser	US-PGPUB; USPAT	OR	ON	2007/02/13 08:30
S39	33	@pd<"20000908" and (intelligent with browser)	US-PGPUB; USPAT	OR	ON	2007/02/13 09:41
S40	0	@pd<"20000908" and (intelligent with browser) and (hint or suggestion)	US-PGPUB; USPAT	OR	ON	2007/02/13 08:31

EAST Search History

S41	5	@pd<"20000908" and (intelligent same browser) and (hint or suggestion)	US-PGPUB; USPAT	OR	ON	2007/02/13 08:34
S42	30	@pd<"20000908" and (intelligent same browser) and (hint or suggest\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 08:34
S43	0	"20020032679" and (determin\$ with database)	US-PGPUB; USPAT	OR	OFF	2007/02/13 12:41
S44	0	"20020032679" and (determin\$ same database)	US-PGPUB; USPAT	OR	OFF	2007/02/13 08:46
S45	0	"20020032679" and (determin\$)	US-PGPUB; USPAT	OR	OFF	2007/02/13 08:47
S46	0	"20020032679" and (determining)	US-PGPUB; USPAT	OR	OFF	2007/02/13 08:47
S47	1	"20020032679" and (database)	US-PGPUB; USPAT	OR	OFF	2007/02/13 08:47
S48	1	"20020032679" and (database with search\$)	US-PGPUB; USPAT	OR	OFF	2007/02/13 08:47
S49	1	"20020032679" and desir\$	US-PGPUB; USPAT	OR	OFF	2007/02/13 09:38
S50	7151	@pd<"20000908" and ((physical or chemical) with model)	US-PGPUB; USPAT	OR	ON	2007/02/13 09:42
S51	537	@pd<"20000908" and ((physical or chemical) with model) and (adjust\$ with parameter)	US-PGPUB; USPAT	OR	ON	2007/02/13 09:43
S52	49	@pd<"20000908" and (((physical or chemical) with model) same (adjust\$ with parameter))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:12
S53	4	@pd<"20000908" and (((physical or chemical) with model) same (adjust\$ with parameter)) and (interactive or collabor\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 09:54
S54	86	@pd<"20000908" and (((physical or chemical) with model) and (adjust\$ with parameter)) and (interactive or collabor\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 11:30
S55	1	"6014647".pn. and history	US-PGPUB; USPAT	OR	ON	2007/02/13 10:41
S56	1	"6014647".pn. and history and "122"	US-PGPUB; USPAT	OR	ON	2007/02/13 10:55

EAST Search History

S57	1	"20020032679" and "content offer"	US-PGPUB; USPAT	OR	OFF	2007/02/13 10:52
S58	1	"6014647".pn. and batch	US-PGPUB; USPAT	OR	ON	2007/02/13 11:09
S59	1	"6014647".pn. and "244"	US-PGPUB; USPAT	OR	ON	2007/02/13 13:12
S60	1	"6014647".pn. and "236" and "237"	US-PGPUB; USPAT	OR	ON	2007/02/13 11:18
S61	1	"5980096".pn. and adjust\$	US-PGPUB; USPAT	OR	ON	2007/02/13 11:36
S62	1	"5980096".pn. and database	US-PGPUB; USPAT	OR	ON	2007/02/13 11:37
S63	1	"20020032679" and analytical	US-PGPUB; USPAT	OR	OFF	2007/02/13 12:55
S64	1	"5628011".pn. and rule	US-PGPUB; USPAT	OR	ON	2007/02/13 12:55
S65	1	"5628011".pn. and rule and display	US-PGPUB; USPAT	OR	ON	2007/02/13 12:58
S66	1	"5628011".pn. and rule and query	US-PGPUB; USPAT	OR	ON	2007/02/13 12:58
S67	1	"6014647".pn. and (result or answer or output)	US-PGPUB; USPAT	OR	ON	2007/02/13 13:13
S68	1	"6014647".pn. and application	US-PGPUB; USPAT	OR	ON	2007/02/13 13:30
S69	1	"6014647".pn. and customer	US-PGPUB; USPAT	OR	ON	2007/02/13 13:32
S70	0	"6014647".pn. and customer and company	US-PGPUB; USPAT	OR	ON	2007/02/13 13:34
S71	1	"6014647".pn. and customer and (category or field or area)	US-PGPUB; USPAT	OR	ON	2007/02/13 14:07
S72	1	"20020032679" and "company"	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:02

EAST Search History

S73	1	"20020032679" and "data accepting"	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:05
S74	1	"20020032679" and (data with accepting)	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:09
S75	1	"6014647".pn. and modify	US-PGPUB; USPAT	OR	ON	2007/02/13 14:51
S76	0	"6014647".pn. and (solution with database)	US-PGPUB; USPAT	OR	ON	2007/02/13 14:09
S77	1	"20020032679" and (solution with database)	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:11
S78	1	"20020032679" and "solution database"	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:15
S79	1	"20020032679" and ("received data" with improved)	US-PGPUB; USPAT	OR	OFF	2007/02/13 14:16
S80	1	"20020032679" and ((received with data) with improved)	US-PGPUB; USPAT	OR	ON	2007/02/13 14:17
S81	1	"20020032679" and ((receive\$ with data) with improve\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:43
S82	1	"6014647".pn. and history	US-PGPUB; USPAT	OR	ON	2007/02/13 14:51
S83	1	"20020032679" and "priority levels"	US-PGPUB; USPAT	OR	ON	2007/02/13 15:10
S84	3	"6014647".pn. or "5628011".pn. or "5980096".pn.	US-PGPUB; USPAT	OR	ON	2007/02/13 15:06
S85	0	S84 and (priority with level)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:07
S86	0	S84 and (priority with sort\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:07
S87	0	S84 and (level with sort\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:07
S88	1	S84 and (priority)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:08

EAST Search History

S89	0	"20020032679" and (destroying with sample)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:46
S90	1	"20020032679" and (destroy\$ with sample)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:22
S91	1	@pd<"20000908" and ((degree or difficulty) with (destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:14
S92	0	@pd<"20000908" and ((sorting) with (destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:14
S93	0	@pd<"20000908" and ((sort\$) with (destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:17
S94	58	@pd<"20000908" and ((destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:14
S95	0	@pd<"20000908" and ((sort\$) same (destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:18
S96	4	@pd<"20000908" and ((prior\$) same (destroying adj sample))	US-PGPUB; USPAT	OR	ON	2007/02/13 15:18
S97	1521	@pd<"20000908" and (destroy\$ with sample)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:51
S98	1	"20020032679" and morphologic	US-PGPUB; USPAT	OR	ON	2007/02/13 15:46
S99	1	@pd<"20000908" and morphologic and (compression with testing)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:52
S10 0	1944	@pd<"20000908" and (compression with testing)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:52
S10 1	258	@pd<"20000908" and (compression with testing) and instron	US-PGPUB; USPAT	OR	ON	2007/02/13 15:53
S10 2	210	@pd<"20000908" and (compression with testing) and instron and character\$	US-PGPUB; USPAT	OR	ON	2007/02/13 15:53
S10 3	9	@pd<"20000908" and (compression with testing) and instron and character\$ and (ordering or priority)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:55
S10 4	11	@pd<"20000908" and (compression with testing) and instron and sample and (ordering or priority)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:57

EAST Search History

S10 5	13	@pd<"20000908" and (compression with testing) and intron and (ordering or priority)	US-PGPUB; USPAT	OR	ON	2007/02/13 15:58
S10 6	0	@pd<"20000908" and (compression with testing) and intron and ((degree or difficulty) with destroying)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:00
S10 7	0	@pd<"20000908" and (compression with testing) and ((degree or difficulty) with destroying)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:00
S10 8	197	@pd<"20000908" and (compression with testing) and intron and ((degree or difficulty) or destroying)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:03
S10 9	196	@pd<"20000908" and (compression with testing) and intron and ((degree or difficulty))	US-PGPUB; USPAT	OR	ON	2007/02/13 16:01
S11 0	57	@pd<"20000908" and (compression with testing) and intron and ((difficulty))	US-PGPUB; USPAT	OR	ON	2007/02/13 16:01
S11 1	0	@pd<"20000908" and (compression with testing) and intron and ((level or degree) with destroying)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:03
S11 2	0	@pd<"20000908" and (compression with testing) and intron and ((level or degree) with destroy\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:55
S11 3	3	@pd<"20000908" and (compression with testing) and intron and ((level or degree) same destroy\$)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:06
S11 4	27	@pd<"20000908" and (compression with testing) and intron and ((level or degree) with structure)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:17
S11 5	0	@pd<"20000908" and (compression with testing) and intron and (((level or degree) with structure) with different)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:09
S11 6	0	@pd<"20000908" and (compression with testing) and intron and (((level or degree or difficulty) with structure) with different)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:10
S11 7	0	@pd<"20000908" and (compression with testing) and intron and (((level or degree or difficulty) with (characterics or structure)) with different)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:11
S11 8	0	@pd<"20000908" and (compression with testing) and intron and (((level or degree or difficulty) with (compression with testing) and intron and (((level or degree or difficulty) with (character\$ or structure)) with different)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:11
S11 9	21	@pd<"20000908" and (compression with testing) and intron and ((structure or characterics or shape or design) with level)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:20
S12 0	2	@pd<"20000908" and (compression with testing) and intron and ((observation) with level)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:23

EAST Search History

S12 1	26	@pd<"20000908" and (compression with testing) and instron and (different with sample)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:41
S12 2	0	@pd<"20000908" and (compression with testing) and instron and ((different with sample) with order)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:24
S12 3	1	"5273802".pn. and state	US-PGPUB; USPAT	OR	ON	2007/02/13 16:42
S12 4	1	"20020032679" and state	US-PGPUB; USPAT	OR	ON	2007/02/13 16:46
S12 5	1	"20020032679" and part	US-PGPUB; USPAT	OR	ON	2007/02/13 16:47
S12 6	1	"20020032679" and "analysis condition"	US-PGPUB; USPAT	OR	ON	2007/02/13 16:47
S12 7	5149	@pd<"20000908" and ((air with liquid) with solid)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:56
S12 8	531	@pd<"20000908" and ((air with liquid) with solid) and ((whole or entire) with surface)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:57
S12 9	24	@pd<"20000908" and ((air with liquid) with solid) and (((whole or entire) with surface) with inside)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:58
S13 0	2	@pd<"20000908" and (((air with liquid) with solid) same modeling)	US-PGPUB; USPAT	OR	ON	2007/02/13 16:59
S13 1	1	"6014647".pn.	US-PGPUB; USPAT	OR	ON	2007/02/15 12:39
S13 2	1	"6014647".pn. and search	US-PGPUB; USPAT	OR	ON	2007/02/15 12:39
S13 3	0	"6014647".pn. and parameters	US-PGPUB; USPAT	OR	ON	2007/02/15 12:40
S13 4	1	"6014647".pn. and display	US-PGPUB; USPAT	OR	ON	2007/02/15 12:40
S13 5	1	"6014647".pn. and request	US-PGPUB; USPAT	OR	ON	2007/02/15 12:40
S13 6	0	"20020032679" and "analyzign condition"	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:12

EAST Search History

S13 7	0	"20020032679" and "analyzing condition"	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:23
S13 8	1	"20020032679"	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:24
S13 9	1	"20020032679" and "analysis condition"	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:48
S14 0	1916	hitachi.as. and (modeling or simulation)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:14
S14 1	761	@pd<"20000908" and hitachi.as. and (modeling or simulation)	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:49
S14 2	27	@pd<"20000908" and hitachi.as. and (modeling or simulation) and solid and liquid and gas	US-PGPUB; USPAT	OR	OFF	2007/02/15 14:00
S14 3	2781	@pd<"20000908" and (modeling or simulation) and solid and liquid and gas	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:53
S14 4	2264	@pd<"20000908" and (modeling or simulation) and solid and liquid and gas and surface	US-PGPUB; USPAT	OR	OFF	2007/02/15 13:53
S14 5	0	"5677844".pn. and database	US-PGPUB; USPAT	OR	OFF	2007/02/15 14:06
S14 6	0	"5677844".pn. and surface	US-PGPUB; USPAT	OR	OFF	2007/02/15 14:06
S14 7	0	"5677844".pn. and interior	US-PGPUB; USPAT	OR	OFF	2007/02/15 14:07
S14 8	1	"5677844".pn. and defect	US-PGPUB; USPAT	OR	ON	2007/02/15 14:31
S14 9	0	"5677844".pn. and test\$	US-PGPUB; USPAT	OR	ON	2007/02/15 14:31
S15 0	0	"5677844".pn. and instrument	US-PGPUB; USPAT	OR	ON	2007/02/15 14:31
S15 1	0	"20020032679" and "second plurality"	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:12
S15 2	0	"20020032679" and (second with plurality)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:12

EAST Search History

S15 3	1	"20020032679" and (field with problem)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:13
S15 4	1	"20020032679" and (solution with rule)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:43
S15 5	177	hitachi.as. and (modeling or simulation) and database	US-PGPUB; USPAT	OR	OFF	2007/02/16 13:21
S15 6	122	hitachi.as. and (modeling or simulation) and database and field	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:16
S15 7	0	hitachi.as. and (modeling or simulation) and database and hira.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:16
S15 8	9	hitachi.as. and (modeling or simulation) and database and sato.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:25
S15 9	0	hitachi.as. and (modeling or simulation) and database and odamura.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:25
S16 0	0	hitachi.as. and (modeling or simulation) and database and sakamoto.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:25
S16 1	0	hitachi.as. and (modeling or simulation) and database and sakee.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:25
S16 2	0	hitachi.as. and (modeling or simulation) and database and teruo.in.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:35
S16 3	85	434/191.ccls. and field	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:41
S16 4	0	434/191.ccls. and hitachi.as.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:41
S16 5	0	434/211.ccls. and hitachi.as.	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:41
S16 6	57	434/211.ccls. and field	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:41
S16 7	140	S163 or S166	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:42
S16 8	85	S163 or S166 and database	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:42

EAST Search History

S16 9	85	S163 or S166 and database and (rule with number)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:42
S17 0	85	S163 or S166 and database and (rule with number) and (problem with name)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:43
S17 1	85	S163 or S166 and database and (rule with number) and (problem with name) and field	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:44
S17 2	0	"20020032679" and (attendant with information)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:43
S17 3	1	"20020032679" and (attendant with information)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:43
S17 4	85	S163 or S166 and database and (rule with number) and (problem with name) and field and incidental	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:44
S17 5	0	(S163 or S166) and database and (rule with number) and (problem with name) and field and incidental	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:45
S17 6	0	(S163 or S166) and database and (rule with number) and (problem with name) and field	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:45
S17 7	0	(S163 or S166) and database and (rule with number) and (problem with name)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:45
S17 8	2	(S163 or S166) and database and (rule with number)	US-PGPUB; USPAT	OR	OFF	2007/02/15 15:45